MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

This Mobo complies with CollA 5 Hazard Commu	ilication o	tandard 23 Of It 1310.	200 and C	JOHA I OIIII II	7		
IDENTITY AND DIST							
NFPA Rating: Health-1; Flammability-1; Reactivity-0; Special-		HMIS Rating: Health-1; Flammability-1; Reactivity-0; Personal Protection-B					
Manufactured For: Hillyard Industries, Inc. Address: 302 N. 4 th Street		Hazard Classification: ORM-D					
Address: 302 N. 4 th Street Address: St. Joseph, MO 64501		Identity (trade name as used on label): CHALKBOARD & WHITEBOARD CLEANER /Part # HIL0109354			0100354		
Phone: (816) 233-1321 ext. 8285 or http://www.hillyard.com		MSDS Number: A00101 Revision- 15					
Emergency Response Number: Chemtrec 1-800-424-9300		Prepared: 09/11/0			S/IB		
		Information Calls: (770) 422-2071					
Information Calls: (770) 422-2071 EMERGENCY RESPONSE NUMBER: 1(800) 255-3924		NOTICE: JUDGEM	ENT BA	SED ON IN	DIRECT TE	ST DATA	
SECTION 1 - MATERIAL IDE	ENTIFIC	ATION AND INFOR	MATION				
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES		CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen	
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater) 2-BUTOXYETHANOL*		111-76-2	III LIST Yes*	(ppm) 25	TLV (ppm) 20	Ref. Source **	
				(skin)	(skin)	_	
ETHANOL ISOBUTANE / PROPANE BLEND		64-17-5	No	1000	1000	d	
ISOBUTANE / PROPAINE BLEIND		75-28-5 74-98-6	No No	800 1000	800 1000	d d	
		74-90-0	INO	1000	1000	u	
*GLYCOL ETHER							
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS							
Boiling Point: N/A	pecific Gravity (H ₂ O=1): Concentrate Only =0.985						
Vapor Pressure: PSIG @ 70°F (Aerosols): Max.70		por Pressure (Non-Aerosols)(mm Hg and Temperature): N/A					
		Evaporation Rate (= 1): N/E Water Reactive: No					
Appearance and Odor: White foam, sassafras fragrance.	vvate	er Reactive: NO					
SECTION 3 - FIRE ANI	D FXPI (OSION HAZARD DA	TΑ				
FLAMMABILITY as per USA FLAME PROJECTION TEST		o Ignition Temperature Flammability Limits in Air by % in Volume: N/E % LEL: N/E % UEL: N/E					
FLASH POINT AND METHOD USED (non-aerosols): N/A EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide.							
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparat		400°F					
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperature			nay ruptur	e.			
SECTION 4 - REACTIVITY HAZARD DATA STABILITY [X] STABLE [] UNSTABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR							
Incompatibility (Mat. to avoid): Strong oxidizers.			nen flan	na waldina	arce heat e	narks	
Incompatibility (Mat. to avoid): Strong oxidizers. Conditions to Avoid: Open flame, welding arcs, heat, sparks. Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.							
SECTION 5 - HEALTH HAZARD DATA							
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS							
ACUTE EFFECTS:							
Inhalation: Excessive inhalation of vapors can be harmful & may cause headache, dizziness, asphyxia, anesthetic effects & possible unconsciousness.							
Eye Contact: Slight irritation. Skin Contact: Slight irritation.							
Ingestion: Possible chemical pneumonitis if aspirated into lungs.							
CHRONIC EFFECTS: None known to humans. Note: some animal data indicates some reports of anemia, liver, kidney, lung, blood damage when excessively exposed to 2-butoxyethanol.							
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.							
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.							
Skin Contact: Wash with soap and water. If irritated, seek medical attention.							
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.							
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasse				ttention.			
SECTION 6 - CONTROL				NIIOOLL /A	10114 (
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH / MSHA for organic vapors.							
Protective Gloves: Disposable latex gloves suggested. Eye Protection: Safety glasses recommended. Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.							
Other Protective Clothing & Equipment: None							
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE							
Steps To Be Taken If Material Is Spilled Or Released: Flush to sewer with water.							
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.							
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.							
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors.							
Michael to determine the physical information and commendations contained beginning value with the value of the wilder of the physical information and commendations contained beginning value.							